

Radon Test Results 2018

<u>School</u>	<u>Page #</u>
1. Goodlettsville Elementary.....	<u>3 & 8</u>
2. Goodlettsville Middle.....	<u>3</u>
3. Cumberland Elementary.....	<u>3-4 & 9</u>
4. Hunters Lane High.....	<u>5-8</u>
5. Alex Green Elementary.....	<u>10</u>
6. East Literature High.....	<u>11</u>
7. Tom Joy Elementary.....	<u>12</u>
8. Glenn Elementary.....	<u>13</u>
9. Bailey Middle.....	<u>14</u>
10. Dan Mills Elementary.....	<u>8 & 15</u>
11. Hickman Elementary.....	<u>16-17</u>
12. Antioch High.....	<u>18</u>
13. Andrew Jackson Elementary.....	<u>19-21</u>
14. Hermitage Elementary.....	<u>22</u>
15. Margaret Allen Elementary.....	<u>23-24</u>
16. Una Elementary.....	<u>25</u>
17. Stanford Elementary.....	<u>26</u>
18. Dupont Hadley Middle.....	<u>27-28</u>
19. Dodson Elementary.....	<u>29-30</u>
20. Dupont Tyler Middle.....	<u>31-32</u>
21. Apollo Middle.....	<u>33</u>
22. J.E. Moss Elementary.....	<u>34</u>
23. Lakeview Elementary.....	<u>35</u>
24. Cameron Middle.....	<u>36</u>
25. Paragon Mills Elementary.....	<u>37</u>

26. Whitsitt Elementary.....	<u>38</u>
27. Glencliff High	<u>39-40</u>
28. Transportation.....	<u>41</u>
29. Glengarry Elementary.....	<u>42</u>
30. Cole Elementary	<u>43</u>
31. Eakin Elementary.....	<u>44-45</u>
32. Glendale Elementary.....	<u>46</u>
33. Sylvan Park Elementary.....	<u>47</u>
34. Percy Priest Elementary.....	<u>48</u>
35. Croft Middle	<u>49</u>
36. John Overton High	<u>50-51</u>
37. Cohn Adult Education	<u>52-53</u>
38. Crieve Hall Elementary.....	<u>54-55</u>
39. Cockrill Elementary	<u>56</u>
40. Charlotte Park Elementary.....	<u>57</u>
41. Big Picture	<u>58-59</u>
42. Westmeade Elementary.....	<u>60</u>
43. Bellevue Middle.....	<u>61-61</u>
44. Harpeth Valley Elementary	<u>61-62</u>
45. Nashville school of the Arts	<u>63-64</u>
46. McCann	<u>65</u>
47. Hillwood High	<u>66</u>
48. Park Ave Elementary	<u>67</u>
49. H.G. Hill Elementary	<u>68</u>

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
7962712	2018-04-06	11:00 am	2018-04-09	7:00 am	67	GOODLETTSVILLE ELEMENTARY		31		3	2.1
7962713	2018-04-06	11:00 am	2018-04-09	7:00 am	68	GOODLETTSVILLE ELEMENTARY		30		3	0.7
7962714	2018-04-06	11:00 am	2018-04-09	7:00 am	70	GOODLETTSVILLE ELEMENTARY		27		3	1.5
7962715	2018-04-06	11:00 am	2018-04-09	7:00 am	67	GOODLETTSVILLE ELEMENTARY		26		3	0.7
7962716	2018-04-06	11:00 am	2018-04-09	7:00 am	68	GOODLETTSVILLE ELEMENTARY		23		3	2.2
7962717	2018-04-06	11:00 am	2018-04-09	7:00 am	76	GOODLETTSVILLE ELEMENTARY		LIBRARY		3	7.9
7962718	2018-04-06	11:00 am	2018-04-09	7:00 am	68	GOODLETTSVILLE ELEMENTARY		11		3	5.9
7962719	2018-04-06	11:00 am	2018-04-09	7:00 am	66	GOODLETTSVILLE ELEMENTARY		16		3	10.2
7962720	2018-04-06	11:00 am	2018-04-09	7:00 am	83	GOODLETTSVILLE ELEMENTARY		15		3	17.3
7962721	2018-04-06	11:00 am	2018-04-09	7:00 am	86	GOODLETTSVILLE ELEMENTARY		GUIDANCE		3	3.8
7962722	2018-04-06	11:00 am	2018-04-09	7:00 am	80	GOODLETTSVILLE ELEMENTARY		0		3	5.0
7962723	2018-04-06	11:00 am	2018-04-09	7:00 am	80	GOODLETTSVILLE ELEMENTARY		0		3	5.9
7962724	2018-04-06	11:00 am	2018-04-09	7:00 am	86	GOODLETTSVILLE ELEMENTARY		1		3	13.9
7962725	2018-04-06	11:00 am	2018-04-09	7:00 am	78	GOODLETTSVILLE ELEMENTARY		4		3	10.6
7962726	2018-04-06	11:00 am	2018-04-09	7:00 am	80	GOODLETTSVILLE ELEMENTARY		5		3	12.4
7962727	2018-04-06	11:00 am	2018-04-09	7:00 am	78	GOODLETTSVILLE ELEMENTARY		8		3	6.0
7962728	2018-04-06	11:00 am	2018-04-09	7:00 am	76	GOODLETTSVILLE ELEMENTARY		9		3	7.9
7962729	2018-04-06	11:00 am	2018-04-09	7:00 am	72	GOODLETTSVILLE ELEMENTARY		12		3	2.8
7962730	2018-04-06	11:00 am	2018-04-09	7:00 am	71	GOODLETTSVILLE ELEMENTARY		20		3	2.7
7962731	2018-04-06	11:00 am	2018-04-09	7:00 am	75	GOODLETTSVILLE ELEMENTARY		OFFICE		3	2.5
7962732	2018-04-06	11:00 am	2018-04-09	7:00 am	75	GOODLETTSVILLE ELEMENTARY		OFFICE		3	
7962733	2018-04-06	11:00 am	2018-04-09	7:00 am	75	GOODLETTSVILLE ELEMENTARY		BLANK		3	3.5
7962734	2018-04-06	12:00 pm	2018-04-09	8:00 am	72	GOODLETTSVILLE MIDDLE		1081		3	< 0.3
7962735	2018-04-06	12:00 pm	2018-04-09	8:00 am	72	GOODLETTSVILLE MIDDLE		1059		3	< 0.3
7962736	2018-04-06	12:00 pm	2018-04-09	8:00 am	69	GOODLETTSVILLE MIDDLE		1046		3	< 0.3
7962737	2018-04-06	12:00 pm	2018-04-09	8:00 am	70	GOODLETTSVILLE MIDDLE		1042		3	< 0.3
7962738	2018-04-06	12:00 pm	2018-04-09	8:00 am	70	GOODLETTSVILLE MIDDLE		LIBRARY		3	< 0.3
7962739	2018-04-06	12:00 pm	2018-04-09	8:00 am	70	GOODLETTSVILLE MIDDLE		1110		3	< 0.3
7962740	2018-04-06	12:00 pm	2018-04-09	8:00 am	70	GOODLETTSVILLE MIDDLE		MAIN OFFICE		3	< 0.3
7962741	2018-04-06	12:00 pm	2018-04-09	8:00 am	67	CUMBERLAND ELEMENTARY		166		3	3.0
7962742	2018-04-06	12:00 pm	2018-04-09	8:00 am	68	CUMBERLAND ELEMENTARY		158		3	2.8
7962743	2018-04-06	12:00 pm	2018-04-09	8:00 am	68	CUMBERLAND ELEMENTARY		161		3	2.5
7962744	2018-04-06	12:00 pm	2018-04-09	8:00 am	68	CUMBERLAND ELEMENTARY		161		3	2.4
7962745	2018-04-06	12:00 pm	2018-04-09	8:00 am	70	CUMBERLAND ELEMENTARY		153		3	2.1
7962746	2018-04-06	12:00 pm	2018-04-09	8:00 am	68	CUMBERLAND ELEMENTARY		149		3	4.7

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
7962747	2018-04-06	12:00 pm	2018-04-09	8:00 am	65	CUMBERLAND ELEMENTARY		147		3	2.7
7962748	2018-04-06	12:00 pm	2018-04-09	8:00 am	65	CUMBERLAND ELEMENTARY		145		3	2.7
7962749	2018-04-06	12:00 pm	2018-04-09	8:00 am	65	CUMBERLAND ELEMENTARY		142		3	10.9
7962750	2018-04-06	12:00 pm	2018-04-09	8:00 am	65	CUMBERLAND ELEMENTARY		140		3	5.3
7962751	2018-04-06	12:00 pm	2018-04-09	8:00 am	68	CUMBERLAND ELEMENTARY		137		3	6.6
7962752	2018-04-06	12:00 pm	2018-04-09	8:00 am	66	CUMBERLAND ELEMENTARY		137		3	6.1
7962753	2018-04-06	12:00 pm	2018-04-09	8:00 am	66	CUMBERLAND ELEMENTARY		BLANK		3	
7962754	2018-04-06	12:00 pm	2018-04-09	8:00 am	65	CUMBERLAND ELEMENTARY		135		3	15.5
7962755	2018-04-06	12:00 pm	2018-04-09	8:00 am	69	CUMBERLAND ELEMENTARY		MAIN OFFICE		3	2.3
7962756	2018-04-06	12:00 pm	2018-04-09	8:00 am	69	CUMBERLAND ELEMENTARY		CONFERENCE		3	2.0

Radon test result report for:
HUNTERS LANE HIGH SCHOOL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962599	100	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.4 ± 0.4	2018-04-17
7962787	101	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.1 ± 0.3	2018-04-17
7962600	103	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	1.9 ± 0.3	2018-04-17
7962681	106	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.1 ± 0.3	2018-04-17
7962683	112	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	2.7 ± 0.3	2018-04-17
7962684	116	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.0 ± 0.3	2018-04-17
7962685	117	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.3 ± 0.4	2018-04-17
7962686	120	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.5 ± 0.4	2018-04-17
7962687	123	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.2 ± 0.4	2018-04-17
7962688	123	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.3 ± 0.4	2018-04-17
7962689	124	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	4.0 ± 0.4	2018-04-17
7962690	127	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.1 ± 0.3	2018-04-17
7962691	130	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	4.2 ± 0.4	2018-04-17
7962692	133	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.6 ± 0.4	2018-04-17
7962693	141	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.8 ± 0.4	2018-04-17
7962694	144	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	4.6 ± 0.4	2018-04-17
7962695	147	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.4 ± 0.4	2018-04-17
7962696	148	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.6 ± 0.4	2018-04-17
7962697	149	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.6 ± 0.4	2018-04-17
7962698	149	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	3.6 ± 0.4	2018-04-17
7962700	162	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	2.8 ± 0.3	2018-04-17
7962757	163	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.3 ± 0.4	2018-04-17
7962758	166	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.6 ± 0.4	2018-04-17
7962759	171	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.7 ± 0.4	2018-04-17
7962760	181	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.9 ± 0.4	2018-04-17
7962761	184	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.9 ± 0.3	2018-04-17
7962762	185	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	6.6 ± 0.5	2018-04-17
7962786	201	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.3 ± 0.3	2018-04-17
7962785	202	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.5 ± 0.3	2018-04-17
7962784	205	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.9 ± 0.3	2018-04-17
7962783	208	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.1 ± 0.3	2018-04-17
7962782	209	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.6 ± 0.2	2018-04-17
7962774	210	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.7 ± 0.3	2018-04-17
7962777	214	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.3 ± 0.3	2018-04-17
7962779	221	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.7 ± 0.4	2018-04-17
7962768	231	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	7.2 ± 0.6	2018-04-17
7962769	232	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	8.4 ± 0.6	2018-04-17

Radon test result report for:**HUNTERS LANE HIGH SCHOOL**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
7962770	235	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	9.3 ± 0.7	2018-04-17
7962771	237	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	16.0 ± 1.0	2018-04-17
7962772	239	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	14.5 ± 0.9	2018-04-17
7962773	240	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	9.4 ± 0.7	2018-04-17
7962763	241	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.2 ± 0.4	2018-04-17
7962764	244	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.3 ± 0.3	2018-04-17
7962765	244	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.4 ± 0.3	2018-04-17
7962766	247	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.8 ± 0.4	2018-04-17
7962767	251	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	3.8 ± 0.4	2018-04-17
7962781	401	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.9 ± 0.3	2018-04-17
7962699	BLANK	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	< 0.3	2018-04-17
7962778	BLANK	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	< 0.3	2018-04-17
7962775	GUIDANCE	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.6 ± 0.3	2018-04-17
7962776	GUIDANCE	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	1.6 ± 0.3	2018-04-17
7962682	LIBRARY	2018-04-13 @ 3:00 pm	2018-04-16 @ 8:00 am	2.9 ± 0.3	2018-04-17
7962789	MAIN OFFICE	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.4 ± 0.3	2018-04-17
7962788	MAIN OFFICE	2018-04-13 @ 4:00 pm	2018-04-16 @ 8:00 am	2.5 ± 0.3	2018-04-17

Radon test result report for:
HUNTERS LANE HIGH

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9203141	237	2019-07-22 @ 10:00 am	2019-07-24 @ 10:00 am	9.4 ± 0.9	2019-07-29
9203142	237	2019-07-22 @ 10:00 am	2019-07-24 @ 10:00 am	8.5 ± 0.9	2019-07-29
9203143	239	2019-07-22 @ 10:00 am	2019-07-24 @ 10:00 am	11.3 ± 1.0	2019-07-29
9203144	240	2019-07-22 @ 10:00 am	2019-07-24 @ 10:00 am	11.0 ± 1.0	2019-07-29

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9203123	2019-07-22	9:00 am	2019-07-24	9:00 am	72	GOODLETTSVILLE ELEMENTARY		LIBRARY		3	1.9
9203124	2019-07-22	9:00 am	2019-07-24	9:00 am	72	GOODLETTSVILLE ELEMENTARY		11		3	0.7
9203125	2019-07-22	9:00 am	2019-07-24	9:00 am	72	GOODLETTSVILLE ELEMENTARY		15		3	1.6
9203126	2019-07-22	9:00 am	2019-07-24	9:00 am	77	GOODLETTSVILLE ELEMENTARY		16		3	1.9
9203127	2019-07-22	9:00 am	2019-07-24	9:00 am	72	GOODLETTSVILLE ELEMENTARY		9		3	1.5
9203128	2019-07-22	9:00 am	2019-07-24	9:00 am	71	GOODLETTSVILLE ELEMENTARY		8		3	2.5
9203129	2019-07-22	9:00 am	2019-07-24	9:00 am	71	GOODLETTSVILLE ELEMENTARY		5		3	2.2
9203130	2019-07-22	9:00 am	2019-07-24	9:00 am	71	GOODLETTSVILLE ELEMENTARY		4		3	3.4
9203131	2019-07-22	9:00 am	2019-07-24	9:00 am	73	GOODLETTSVILLE ELEMENTARY		1		3	2.5
9203132	2019-07-22	9:00 am	2019-07-24	9:00 am	73	GOODLETTSVILLE ELEMENTARY		1		3	2.6
9203133	2019-07-22	9:00 am	2019-07-24	9:00 am	72	GOODLETTSVILLE ELEMENTARY		0		3	3.1
9203134	2019-07-22	10:00 am	2019-07-24	10:00 am	72	HUNTERS LANE HIGH		124		3	3.2
9203135	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		130		3	2.7
9203136	2019-07-22	10:00 am	2019-07-24	10:00 am	71	HUNTERS LANE HIGH		144		3	2.8
9203137	2019-07-22	10:00 am	2019-07-24	10:00 am	75	HUNTERS LANE HIGH		185		3	2.5
9203138	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		231		3	
9203139	2019-07-22	10:00 am	2019-07-24	10:00 am	76	HUNTERS LANE HIGH		232		3	7.3
9203140	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		9999		3	< 0.3
9203141	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		237		3	
9203142	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		237		3	
9203143	2019-07-22	10:00 am	2019-07-24	10:00 am	70	HUNTERS LANE HIGH		239		3	
9203144	2019-07-22	10:00 am	2019-07-24	10:00 am	71	HUNTERS LANE HIGH		240		3	
9203145	2019-07-22	10:00 am	2019-07-24	10:00 am	71	HUNTERS LANE HIGH		235		3	
9203146	2019-07-22	11:00 am	2019-07-24	11:00 am	71	DAN MILLS ELEMENTARY		LIBRARY		3	3.3
9203147	2019-07-22	11:00 am	2019-07-24	11:00 am	71	DAN MILLS ELEMENTARY		A2		3	4.2
9203148	2019-07-22	11:00 am	2019-07-24	11:00 am	69	DAN MILLS ELEMENTARY		A3		3	4.0
9203149	2019-07-22	11:00 am	2019-07-24	11:00 am	69	DAN MILLS ELEMENTARY		A6		3	4.9
9203150	2019-07-22	11:00 am	2019-07-24	11:00 am	70	DAN MILLS ELEMENTARY		B1		3	3.2
9203151	2019-07-22	11:00 am	2019-07-24	11:00 am	78	DAN MILLS ELEMENTARY		B2		3	4.3
9203152	2019-07-22	11:00 am	2019-07-24	11:00 am	78	DAN MILLS ELEMENTARY		B5		3	4.1
9203153	2019-07-22	11:00 am	2019-07-24	11:00 am	70	DAN MILLS ELEMENTARY		B5		3	4.0
9203154	2019-07-22	11:00 am	2019-07-24	11:00 am	72	DAN MILLS ELEMENTARY		B6		3	5.2
9203155	2019-07-22	11:00 am	2019-07-24	11:00 am	68	DAN MILLS ELEMENTARY		OFFICE		3	3.7
9203156	2019-07-22	11:00 am	2019-07-24	11:00 am	72	DAN MILLS ELEMENTARY		135		3	6.1
9203157	2019-07-22	12:00 pm	2019-07-24	12:00 pm	71	CUMBERLAND ELEMENTARY		137		3	3.4

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9203158	2019-07-22	12:00 pm	2019-07-24	12:00 pm	73	CUMBERLAND ELEMENTARY		140		3	2.3
9203159	2019-07-22	12:00 pm	2019-07-24	12:00 pm	72	CUMBERLAND ELEMENTARY		142		3	3.8
9203160	2019-07-22	12:00 pm	2019-07-24	12:00 pm	73	CUMBERLAND ELEMENTARY		149		3	3.8

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**ALEX GREEN ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9026982	100	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.3 ± 0.4	2018-07-17
9026981	122	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.7 ± 0.5	2018-07-17
9026980	124	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.4 ± 0.5	2018-07-17
9026979	125	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.9 ± 0.5	2018-07-17
9026975	130	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.6 ± 0.4	2018-07-17
9026974	131	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.2 ± 0.4	2018-07-17
9026972	133	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	3.4 ± 0.5	2018-07-17
9026973	133	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	3.7 ± 0.5	2018-07-17
9026969	142	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.8 ± 0.4	2018-07-17
9026970	144	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.9 ± 0.4	2018-07-17
9026971	145	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.9 ± 0.4	2018-07-17
9026976	151	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.7 ± 0.3	2018-07-17
9026977	152	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9026978	155	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.0 ± 0.4	2018-07-17
9026985	9999	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9026983	MAIN OFFICE	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.7 ± 0.5	2018-07-17
9026984	MAIN OFFICE	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.8 ± 0.5	2018-07-17
9026986	PRINCIPAL&APOS;S OFFICE	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	2.7 ± 0.5	2018-07-17

Radon test result report for:
EAST LITE HIGH

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088369	A-103	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.8 ± 0.4	2018-10-22
9088368	A-103	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.8 ± 0.3	2018-10-22
9088367	A-106	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.9 ± 0.3	2018-10-22
9088366	A-109	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.6 ± 0.3	2018-10-22
9088365	A-111	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.8 ± 0.3	2018-10-22
9088375	B-101	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	0.6 ± 0.3	2018-10-22
9088371	B-102	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	4.5 ± 0.5	2018-10-22
9088374	B-103	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	< 0.3	2018-10-22
9088373	B-104	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	1.6 ± 0.4	2018-10-22
9088372	B-106	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	5.2 ± 0.5	2018-10-22
9088370	B-107	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	1.5 ± 0.3	2018-10-22
9088364	GUITAR CLASS	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	1.7 ± 0.4	2018-10-22
9088376	MAIN OFFICE	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	< 0.3	2018-10-22
9088377	PRINCIPAL&APOS;S OFFICE	2018-10-16 @ 12:00 pm	2018-10-18 @ 1:00 pm	< 0.3	2018-10-22

Radon test result report for:
TOM JOY ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9054813	100	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.3 ± 0.4	2018-07-17
9054814	101	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
9054815	104	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
9054808	107	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.6 ± 0.4	2018-07-17
9054816	108	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.4 ± 0.4	2018-07-17
9054817	108	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.7 ± 0.4	2018-07-17
9054819	112	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.8 ± 0.4	2018-07-17
9054810	113	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.0 ± 0.4	2018-07-17
9054807	116	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
7207422	119	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.6 ± 0.4	2018-07-17
9054809	122	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
7207424	123	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.5 ± 0.4	2018-07-17
9026939	124	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	5.1 ± 0.6	2018-07-17
9054802	125	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	3.6 ± 0.5	2018-07-17
7207423	128	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	3.0 ± 0.5	2018-07-17
9054804	129	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
9054805	129	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.6 ± 0.4	2018-07-17
7207425	132	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.3 ± 0.4	2018-07-17
9054812	133	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.2 ± 0.5	2018-07-17
7207426	134	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.5 ± 0.5	2018-07-17
7207427	138	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.2 ± 0.4	2018-07-17
9054801	144	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.9 ± 0.4	2018-07-17
9054803	146	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.4 ± 0.4	2018-07-17
9054806	152	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.5 ± 0.4	2018-07-17
9054818	9999	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9054811	LIBRARY	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.3 ± 0.4	2018-07-17
9054820	OFFICE	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.7 ± 0.4	2018-07-17
9054821	PRINCIPAL&APOS;S OFFICE	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.8 ± 0.4	2018-07-17

Radon test result report for:
GLENN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059744	103	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	1.5 ± 0.2	2018-08-03
9059741	110	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	1.2 ± 0.2	2018-08-03
9059740	110	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	1.2 ± 0.2	2018-08-03
9059739	113	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	0.9 ± 0.2	2018-08-03
9059737	17	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	1.3 ± 0.2	2018-08-03
9059742	9999	2018-07-31 @ 10:00 am	2018-08-02 @ 1:00 pm	< 0.3	2018-08-03

Radon test result report for:
EAST NASHVILLE/ BAILEY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9026951	104	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	3.5 ± 0.5	2018-07-17
9026952	107	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026953	109	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026954	110	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026955	113	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026956	114	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026950	118	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	1.7 ± 0.4	2018-07-17
9026958	EXECUTIVE PRINCIPAL	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	1.2 ± 0.4	2018-07-17
9026957	MAIN OFFICE	2018-07-11 @ 10:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17

Air Chek, Inc. 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**DAN MILLS ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059249	A2	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.6 ± 0.4	2018-08-03
9059248	A3	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.7 ± 0.4	2018-08-03
9059247	A6	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.3 ± 0.4	2018-08-03
9059246	B1	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.2 ± 0.4	2018-08-03
9059245	B2	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	7.4 ± 0.4	2018-08-03
9059244	B5	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	4.9 ± 0.3	2018-08-03
9059243	B6	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	7.1 ± 0.4	2018-08-03
9059250	LIBRARY	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.5 ± 0.4	2018-08-03
9059251	MAIN OFFICE	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.8 ± 0.4	2018-08-03
9059252	MAIN OFFICE	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	6.3 ± 0.4	2018-08-03
9059241	MUSIC 2	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	9.2 ± 0.5	2018-08-03
9059240	MUSIC 2	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	9.6 ± 0.5	2018-08-03
9059253	PRINCIPAL&APOS;S OFFICE	2018-07-31 @ 12:00 pm	2018-08-02 @ 12:00 pm	5.5 ± 0.4	2018-08-03

Radon test result report for:

HICKMAN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088456	100	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	8.8 ± 0.7	2019-01-03
9088455	100	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	8.3 ± 0.6	2019-01-03
9088454	103	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	15.6 ± 0.9	2019-01-03
9088457	104	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	7.1 ± 0.6	2019-01-03
9088458	108	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	10.3 ± 0.7	2019-01-03
9088459	112	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	4.1 ± 0.5	2019-01-03
9088461	114	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	5.5 ± 0.5	2019-01-03
9088462	115	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	9.6 ± 0.7	2019-01-03
9088463	118	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	4.4 ± 0.5	2019-01-03
9088469	119	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	6.1 ± 0.5	2019-01-03
9088464	120	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	4.8 ± 0.5	2019-01-03
9088476	201	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	24.9 ± 1.3	2019-01-03
9088477	201	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	27.2 ± 1.4	2019-01-03
9088479	202	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	16.4 ± 1.0	2019-01-03
9088474	203	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	23.1 ± 1.2	2019-01-03
9088475	205	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	17.9 ± 1.0	2019-01-03
9088471	206	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	6.0 ± 0.5	2019-01-03
9088468	210	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	5.4 ± 0.5	2019-01-03
9088473	211	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	11.9 ± 0.8	2019-01-03
9088472	213	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	6.1 ± 0.5	2019-01-03
9088470	217	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	5.1 ± 0.5	2019-01-03
9088467	225	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	3.3 ± 0.4	2019-01-03
9088465	229	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	3.4 ± 0.4	2019-01-03
9088466	229	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	4.0 ± 0.5	2019-01-03
9088478	9999	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	< 0.3	2019-01-03
9088460	LIBRARY	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	2.8 ± 0.4	2019-01-03
9088453	MAIN OFFICE	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	12.4 ± 0.8	2019-01-03
9088480	PRINCIPAL&APOS;S OFFICE	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	18.9 ± 1.1	2019-01-03

Radon test result report for:
HICKMAN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9203185	100	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.0 ± 0.5	2019-07-29
9203186	103	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.6 ± 0.5	2019-07-29
9203187	104	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.0 ± 0.5	2019-07-29
9203188	108	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.9 ± 0.5	2019-07-29
9203189	112	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.7 ± 0.5	2019-07-29
9203190	114	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	2.9 ± 0.5	2019-07-29
9203191	114	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.1 ± 0.5	2019-07-29
9203192	115	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	4.1 ± 0.5	2019-07-29
9203193	118	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.4 ± 0.5	2019-07-29
9203197	118	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	6.3 ± 0.6	2019-07-29
9203194	120	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.7 ± 0.5	2019-07-29
9203172	201	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	6.5 ± 0.6	2019-07-29
9203184	202	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	5.3 ± 0.5	2019-07-29
9203173	203	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	5.0 ± 0.6	2019-07-29
9203174	205	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.2 ± 0.5	2019-07-29
9203175	206	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.7 ± 0.5	2019-07-29
9203180	210	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	4.0 ± 0.5	2019-07-29
9203181	210	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.8 ± 0.5	2019-07-29
9203177	211	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	4.1 ± 0.5	2019-07-29
9203176	213	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	4.8 ± 0.6	2019-07-29
9203178	217	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.6 ± 0.5	2019-07-29
9203182	225	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	3.6 ± 0.5	2019-07-29
9203183	229	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	4.5 ± 0.5	2019-07-29
9203179	9999	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	< 0.3	2019-07-29
9203195	MAIN OFFICE	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	5.6 ± 0.6	2019-07-29
9203196	PRINCIPAL&APOS;S OFFICE	2019-07-23 @ 11:00 am	2019-07-25 @ 11:00 am	8.6 ± 0.6	2019-07-29

Radon test result report for:
ANTIOCH HIGH SCHOOL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059426	9999	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	< 0.3	2018-07-24
9059434	AD 102	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.2 ± 0.4	2018-07-23
9059431	ART100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.7 ± 0.3	2018-07-23
9059432	ART102	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.1 ± 0.4	2018-07-23
9059423	B100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.8 ± 0.4	2018-07-23
9059422	B101	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.4 ± 0.4	2018-07-23
9059421	B103	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.1 ± 0.3	2018-07-23
9059424	C100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.5 ± 0.4	2018-07-23
9059425	C100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.5 ± 0.4	2018-07-23
9059427	C102	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.5 ± 0.4	2018-07-23
9059428	C104	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.1 ± 0.4	2018-07-23
9059413	D100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.3 ± 0.4	2018-07-23
9059415	D102	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.2 ± 0.4	2018-07-23
9059416	D104	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.7 ± 0.4	2018-07-23
9059414	D106	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.0 ± 0.3	2018-07-23
9059411	D108	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.9 ± 0.4	2018-07-23
9059412	D108	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.7 ± 0.4	2018-07-23
9059410	D111	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.4 ± 0.4	2018-07-23
9059406	E100	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.2 ± 0.4	2018-07-23
9059409	E103	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.5 ± 0.4	2018-07-23
9059408	E105	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.7 ± 0.4	2018-07-23
9059407	E106	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.6 ± 0.4	2018-07-23
9059402	F104	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.0 ± 0.4	2018-07-23
9059403	F108	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.2 ± 0.4	2018-07-23
9059435	GU 105	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	1.7 ± 0.4	2018-07-23
9059430	H101	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.9 ± 0.3	2018-07-23
9059429	H103	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.6 ± 0.3	2018-07-23
9059436	INTERNAL OFFICE	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.9 ± 0.4	2018-07-23
9059417	J102	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	< 0.3	2018-07-23
9059419	J103	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	< 0.3	2018-07-23
9059420	J109	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	< 0.3	2018-07-23
9059418	J111	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	0.5 ± 0.4	2018-07-23
9059433	MAIN OFFICE	2018-07-17 @ 10:00 am	2018-07-19 @ 10:00 am	< 0.3	2018-07-23

Radon test result report for:

ANDREW JACKSON ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059294	101	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	2.6 ± 0.3	2018-09-26
9059293	102	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.1 ± 0.3	2018-09-26
9059295	105	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.2 ± 0.4	2018-09-26
9059296	106	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	2.9 ± 0.3	2018-09-26
9059297	108	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.0 ± 0.3	2018-09-26
9059298	110	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.0 ± 0.3	2018-09-26
9059299	113	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	2.8 ± 0.3	2018-09-26
9059300	114	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	4.0 ± 0.4	2018-09-26
9059692	122	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	8.2 ± 0.6	2018-09-26
9059689	123	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	1.8 ± 0.3	2018-09-26
9059691	124	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	2.2 ± 0.3	2018-09-26
9059593	127	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	1.4 ± 0.3	2018-09-26
9059589	131	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059590	134	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059591	135	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	2.0 ± 0.3	2018-09-26
9059587	139	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059588	139	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059592	139	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059586	142	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059585	143	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059690	9999	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	< 0.3	2018-09-26
9059583	ART-118	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	11.3 ± 0.7	2018-09-26
9059584	LIBRARY	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.2 ± 0.4	2018-09-26
9059693	MAIN OFFICE	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	3.8 ± 0.4	2018-09-26
9059694	PRINCIPAL OFFICE	2018-09-21 @ 3:00 pm	2018-09-24 @ 3:00 pm	4.1 ± 0.4	2018-09-26

Radon test result report for:

ANDREW JACKSON ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088451	114	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	6.2 ± 0.5	2019-01-03
9088450	118	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	14.2 ± 0.9	2019-01-03
9088449	122	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	13.1 ± 0.9	2019-01-03
9088448	MAIN OFFICE	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	5.2 ± 0.5	2019-01-03
9088447	PRINCIPAL&APOS;S OFFICE	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	6.3 ± 0.6	2019-01-03

July 29, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

ANDREW JACKSON ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9203199	112	2019-07-23 @ 12:00 pm	2019-07-25 @ 12:00 pm	4.0 ± 0.5	2019-07-29
9203198	114	2019-07-23 @ 12:00 pm	2019-07-25 @ 12:00 pm	3.7 ± 0.5	2019-07-29
9203200	122	2019-07-23 @ 12:00 pm	2019-07-25 @ 12:00 pm	4.8 ± 0.5	2019-07-29
9203201	MAIN OFFICE	2019-07-23 @ 12:00 pm	2019-07-25 @ 12:00 pm	3.5 ± 0.5	2019-07-29

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
HERMITAGE ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059501	128	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	0.7 ± 0.3	2018-07-23
9059502	131	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	< 0.3	2018-07-23
9059503	133	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	< 0.3	2018-07-23
9059504	138	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	0.8 ± 0.3	2018-07-23
9059510	200	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	< 0.3	2018-07-23
9059509	202	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	0.8 ± 0.4	2018-07-23
9059508	207	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	0.6 ± 0.3	2018-07-23
9059511	MAIN OFFICE	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	1.1 ± 0.3	2018-07-23
9059512	MAIN OFFICE	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	0.7 ± 0.3	2018-07-23
9059513	PRINCIPAL&APOS;S OFFICE	2018-07-17 @ 11:00 am	2018-07-19 @ 12:00 pm	1.5 ± 0.4	2018-07-23

Radon test result report for:**MARAGARET ALLEN ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059529	121- ASST. PRINCIPAL	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	2.9 ± 0.4	2018-07-23
9059530	122- PRINCIPAL'S OFFICE	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	3.3 ± 0.4	2018-07-23
9059526	156	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	7.7 ± 0.6	2018-07-23
9059527	157	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	7.9 ± 0.5	2018-07-23
9059522	160	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	7.0 ± 0.5	2018-07-23
9059523	161	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	5.9 ± 0.5	2018-07-23
9059524	161	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	6.5 ± 0.5	2018-07-23
9059521	166	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	6.4 ± 0.5	2018-07-23
9059520	171	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	< 0.3	2018-07-23
9059515	176	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	< 0.3	2018-07-23
9059516	179	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	0.8 ± 0.4	2018-07-23
9059518	180	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	0.7 ± 0.3	2018-07-23
9059517	182	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	0.9 ± 0.4	2018-07-23
9059519	185	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	0.8 ± 0.4	2018-07-23
9059514	188	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	1.4 ± 0.4	2018-07-23
9059525	9999	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	< 0.3	2018-07-24
9059528	MAIN OFFICE	2018-07-17 @ 12:00 pm	2018-07-19 @ 1:00 pm	2.9 ± 0.4	2018-07-23

July 29, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

MARGARET ALEEN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9203170	156	2019-07-23 @ 10:00 am	2019-07-25 @ 11:00 am	2.3 ± 0.4	2019-07-29
9203169	157	2019-07-23 @ 10:00 am	2019-07-25 @ 11:00 am	1.4 ± 0.4	2019-07-29
9203171	160	2019-07-23 @ 10:00 am	2019-07-25 @ 11:00 am	2.5 ± 0.5	2019-07-29
9203168	161	2019-07-23 @ 10:00 am	2019-07-25 @ 11:00 am	1.7 ± 0.4	2019-07-29
9203167	166	2019-07-23 @ 10:00 am	2019-07-25 @ 11:00 am	2.2 ± 0.5	2019-07-29

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
UNA ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059449	1	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	2.9 ± 0.4	2018-07-23
9059439	103	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.0 ± 0.3	2018-07-23
9059440	104	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.3 ± 0.3	2018-07-23
9059437	106	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.4 ± 0.3	2018-07-23
9059438	106	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.0 ± 0.3	2018-07-23
9059446	109	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.3 ± 0.3	2018-07-23
9059460	110	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.5 ± 0.4	2018-07-23
9059459	110	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.1 ± 0.4	2018-07-23
9059458	112	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.2 ± 0.4	2018-07-23
9059462	113	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.6 ± 0.4	2018-07-23
9059461	115	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.8 ± 0.4	2018-07-23
9059457	116	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.2 ± 0.4	2018-07-23
9059455	12	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	2.7 ± 0.4	2018-07-23
9059447	129	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	< 0.3	2018-07-23
9059448	129	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	0.6 ± 0.3	2018-07-23
9059442	131	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	0.7 ± 0.3	2018-07-23
9059443	132	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.3 ± 0.4	2018-07-23
9059441	134	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.9 ± 0.4	2018-07-23
9059445	139	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.1 ± 0.4	2018-07-23
9059451	4	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	4.3 ± 0.5	2018-07-23
9059452	7	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	3.2 ± 0.4	2018-07-23
9059453	8	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	3.5 ± 0.4	2018-07-23
9059454	9	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	3.2 ± 0.4	2018-07-23
9059450	9999	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	< 0.3	2018-07-24
9059456	LIBRARY	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	0.7 ± 0.3	2018-07-23
9059463	MAIN OFFICE	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.3 ± 0.4	2018-07-23
9059464	PRINCIPAL&APOS;S OFFICE	2018-07-17 @ 12:00 pm	2018-07-19 @ 11:00 am	1.5 ± 0.4	2018-07-23

Radon test result report for:
STANFORD ELEMENTRAY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059385	113	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.4 ± 0.3	2018-10-09
9059384	116	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	2.1 ± 0.3	2018-10-09
9059383	117	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.6 ± 0.3	2018-10-09
9059382	120	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	2.1 ± 0.3	2018-10-09
9059381	121	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.8 ± 0.3	2018-10-09
9059380	124	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.2 ± 0.2	2018-10-09
9059379	124	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.5 ± 0.2	2018-10-09
9059378	125	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.7 ± 0.3	2018-10-09
9059377	131-LIBRARY	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.3 ± 0.3	2018-10-09
9059376	135	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.6 ± 0.3	2018-10-09
9059375	139	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.9 ± 0.3	2018-10-09
9059374	142	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	2.0 ± 0.3	2018-10-09
9059373	145	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	2.0 ± 0.3	2018-10-09
9059372	146	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	2.4 ± 0.3	2018-10-09
9059371	149	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.8 ± 0.3	2018-10-09
9059388	MAIN OFFICE	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.2 ± 0.3	2018-10-09
9059389	PRINCIPAL&APOS;S OFFICE	2018-10-05 @ 3:00 pm	2018-10-08 @ 7:00 am	1.3 ± 0.3	2018-10-09

Radon test result report for:
DUPONT HADLEY MIDDLE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088596	13	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.9 ± 0.4	2018-10-22
9088597	15	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.5 ± 0.4	2018-10-22
9088598	17	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.6 ± 0.4	2018-10-22
9088600	19	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.8 ± 0.4	2018-10-22
9088301	21	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.9 ± 0.4	2018-10-22
9088302	23	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.8 ± 0.4	2018-10-22
9088304	25	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	0.8 ± 0.3	2018-10-22
9088303	25	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.3 ± 0.4	2018-10-22
9088306	27A	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088307	28	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088308	29	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088309	30	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.7 ± 0.4	2018-10-22
9088311	42	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088315	45	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088314	45	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	0.6 ± 0.3	2018-10-22
9088310	46	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088313	48	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	1.8 ± 0.4	2018-10-22
9088312	49	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	5.8 ± 0.5	2018-10-22
9088599	9999	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22
9088595	LIBRARY	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	2.5 ± 0.4	2018-10-22
9088316	MAIN OFFICE	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	0.5 ± 0.3	2018-10-22
9088317	PRINCIPAL&APOS;S OFFICE	2018-10-15 @ 3:00 pm	2018-10-18 @ 10:00 am	< 0.3	2018-10-22

January 10, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
DUPONT HADLEY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088452	49	2018-12-27 @ 11:00 am	2018-12-31 @ 9:00 am	7.3 ± 0.6	2019-01-03

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
DODSON ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088556	101	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	5.7 ± 0.7	2018-10-22
9088554	103	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	5.1 ± 0.7	2018-10-22
9088565	108	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.1 ± 0.6	2018-10-22
9088566	110	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.8 ± 0.6	2018-10-22
9088568	111	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.7 ± 0.5	2018-10-22
9088572	113	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.4 ± 0.5	2018-10-22
9088570	115	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	5.9 ± 0.7	2018-10-22
9088571	115	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	5.2 ± 0.7	2018-10-22
9088567	116	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	7.6 ± 0.8	2018-10-22
9088564	119	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	12.3 ± 1.0	2018-10-22
9088551	32	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.5 ± 0.5	2018-10-22
9088552	34	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.8 ± 0.6	2018-10-22
9088559	35	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.6 ± 0.6	2018-10-22
9088560	35	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.8 ± 0.6	2018-10-22
9088561	37	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.0 ± 0.5	2018-10-22
9088563	43	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.6 ± 0.6	2018-10-22
9088574	46	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.0 ± 0.5	2018-10-22
9088555	95	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	9.0 ± 0.9	2018-10-22
9088557	97	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.9 ± 0.6	2018-10-22
9088558	99	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	7.3 ± 0.8	2018-10-22
9088569	9999	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	< 0.3	2018-10-22
9088576	MAIN OFFICE	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.1 ± 0.5	2018-10-22
9088562	MS. ADAMS	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	1.8 ± 0.5	2018-10-22
9088575	MS. HARRIS	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.5 ± 0.5	2018-10-22
9088553	MS. MCMONN	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.1 ± 0.6	2018-10-22
9088573	MS. STAKE	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.4 ± 0.6	2018-10-22
9088577	PRINCIPAL&APOS;S OFFICE	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.0 ± 0.6	2018-10-22

Radon test result report for:
DODSON ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088428	101	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	7.7 ± 0.6	2019-01-03
9088426	103	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	4.6 ± 0.5	2019-01-03
9088435	115	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	8.6 ± 0.7	2019-01-03
9088434	116	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	11.9 ± 0.8	2019-01-03
9088436	118	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	8.3 ± 0.6	2019-01-03
9088433	119	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	15.1 ± 0.9	2019-01-03
9088427	95	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	8.8 ± 0.7	2019-01-03
9088432	97	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	6.8 ± 0.6	2019-01-03
9088431	99	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	14.8 ± 0.9	2019-01-03

Radon test result report for:
DUPONT TYLER MIDDLE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088582	101	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.6 ± 0.5	2018-10-22
9088581	102	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	1.4 ± 0.4	2018-10-22
9088580	103	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	2.1 ± 0.5	2018-10-22
9088579	106	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	4.4 ± 0.6	2018-10-22
9088584	110	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	3.2 ± 0.5	2018-10-22
9088585	112	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	3.6 ± 0.5	2018-10-22
9088583	115	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	3.0 ± 0.5	2018-10-22
9088587	166	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	1.9 ± 0.5	2018-10-22
9088588	168	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	2.9 ± 0.5	2018-10-22
9088589	173	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	6.0 ± 0.7	2018-10-22
9088586	174	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	3.8 ± 0.5	2018-10-22
9088590	176	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	6.9 ± 0.7	2018-10-22
9088591	183	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	22.4 ± 1.4	2018-10-22
9088592	9999	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	< 0.3	2018-10-22
9088578	LIBRARY	2018-10-15 @ 11:00 am	2018-10-17 @ 11:00 am	11.5 ± 0.9	2018-10-22
9088593	MAIN OFFICE	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	11.9 ± 0.9	2018-10-22
9088594	PRINCIPAL&APOS;S OFFICE	2018-10-15 @ 12:00 pm	2018-10-17 @ 12:00 pm	6.6 ± 0.7	2018-10-22

Radon test result report for:
DUPONT TYLER

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088443	106	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	4.3 ± 0.5	2019-01-03
9088441	112	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	5.3 ± 0.5	2019-01-03
9088439	173	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	10.3 ± 0.7	2019-01-03
9088440	176	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	5.8 ± 0.5	2019-01-03
9088446	9999	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	< 0.3	2019-01-03
9088444	BAND ROOM	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	13.3 ± 0.9	2019-01-03
9088445	BAND ROOM	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	13.9 ± 0.9	2019-01-03
9088442	LIBRARY	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	17.7 ± 1.0	2019-01-03
9088437	MAIN OFFICE	2018-12-27 @ 9:00 am	2018-12-31 @ 9:00 am	16.2 ± 1.0	2019-01-03
9088438	PRINCIPAL&APOS;S OFFICE	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	15.6 ± 1.0	2019-01-03

Radon test result report for:
APOLLO MIDDLE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059466	109A	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.7 ± 0.4	2018-07-23
9059470	110A	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.1 ± 0.3	2018-07-23
9059471	111	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.4 ± 0.4	2018-07-23
9059467	112	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.7 ± 0.4	2018-07-23
9059468	112	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.2 ± 0.4	2018-07-23
9059473	121	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	0.9 ± 0.3	2018-07-23
9059475	123	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.0 ± 0.3	2018-07-23
9059476	125	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.2 ± 0.3	2018-07-23
9059474	127	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	0.8 ± 0.3	2018-07-23
9059472	128	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.2 ± 0.4	2018-07-23
9059469	9999	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	< 0.3	2018-07-24
9059477	BAND ROOM	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	< 0.3	2018-07-23
9059465	LIBRARY	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.0 ± 0.4	2018-07-23
9059478	MAIN OFFICE	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	1.2 ± 0.3	2018-07-23
9059479	PRINCIPAL&APOS;S OFFICE	2018-07-17 @ 1:00 pm	2018-07-19 @ 12:00 pm	0.9 ± 0.4	2018-07-23

Radon test result report for:

J. E. MOSS ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088351	1	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	2.9 ± 0.4	2018-10-22
9088356	209	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	1.3 ± 0.4	2018-10-22
9088357	210	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	0.6 ± 0.3	2018-10-22
9088358	210	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	0.6 ± 0.3	2018-10-22
9088360	212	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	2.9 ± 0.4	2018-10-22
9088361	214	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	2.8 ± 0.4	2018-10-22
9088352	3	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	0.9 ± 0.3	2018-10-22
9088353	4	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	1.8 ± 0.4	2018-10-22
9088354	6	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	2.8 ± 0.4	2018-10-22
9088355	8	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	1.9 ± 0.4	2018-10-22
9088359	9999	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	< 0.3	2018-10-22
9088362	MAIN OFFICE	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	0.9 ± 0.4	2018-10-22
9088363	PRINCIPAL&APOS;S OFFICE	2018-10-16 @ 11:00 am	2018-10-18 @ 12:00 pm	1.2 ± 0.3	2018-10-22

Radon test result report for:
LAKE VIEW ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088332	100	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	3.3 ± 0.5	2018-10-22
9088333	101	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	3.0 ± 0.5	2018-10-22
9088347	11	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.6 ± 0.4	2018-10-22
9088348	11	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.9 ± 0.4	2018-10-22
9088318	13	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.5 ± 0.3	2018-10-22
9088319	14	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.1 ± 0.4	2018-10-22
9088320	16	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.6 ± 0.3	2018-10-22
9088321	19	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.5 ± 0.4	2018-10-22
9088342	2	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.9 ± 0.3	2018-10-22
9088322	21	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.9 ± 0.4	2018-10-22
9088323	22	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.8 ± 0.3	2018-10-22
9088341	24	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.1 ± 0.4	2018-10-22
9088340	26	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.2 ± 0.3	2018-10-22
9088339	28	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.9 ± 0.4	2018-10-22
9088343	3	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.9 ± 0.4	2018-10-22
9088337	30	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.0 ± 0.4	2018-10-22
9088338	30	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.9 ± 0.4	2018-10-22
9088335	32	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.3 ± 0.4	2018-10-22
9088331	33	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.9 ± 0.4	2018-10-22
9088330	34	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.7 ± 0.3	2018-10-22
9088329	36	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.0 ± 0.4	2018-10-22
9088344	4	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.9 ± 0.3	2018-10-22
9088325	41	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.9 ± 0.4	2018-10-22
9088328	44	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.2 ± 0.4	2018-10-22
9088345	7	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	0.7 ± 0.3	2018-10-22
9088346	8	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.9 ± 0.4	2018-10-22
9088336	9999	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	< 0.3	2018-10-22
9088334	EDUCATION ASST.	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	1.2 ± 0.4	2018-10-22
9088349	MAIN OFFICE	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.6 ± 0.5	2018-10-22
9088350	PRINCIPAL&APOS;S OFFICE	2018-10-16 @ 10:00 am	2018-10-18 @ 11:00 am	2.8 ± 0.4	2018-10-22

Radon test result report for:
CAMERON MIDDLE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9026987	10	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.9 ± 0.2	2018-07-27
9026999	101	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.6 ± 0.2	2018-07-27
9026998	102	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9026997	105	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.7 ± 0.2	2018-07-27
9026994	107	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.1 ± 0.3	2018-07-27
9026996	108	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.2 ± 0.2	2018-07-27
9026988	11	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9026995	110	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9026993	111	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.5 ± 0.3	2018-07-27
9026992	2	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.4 ± 0.3	2018-07-27
9026990	6	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.1 ± 0.2	2018-07-27
9026991	7	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.3 ± 0.3	2018-07-27
9026989	9	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	2.1 ± 0.3	2018-07-27
9027000	MAIN OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059480	PRINCIPAL&APOS;S OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.6 ± 0.2	2018-07-27

Radon test result report for:

PARAGON MILLS ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059655	101	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059656	101	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.6 ± 0.2	2018-07-27
9059654	102	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059653	104	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059652	105	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059651	107	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.8 ± 0.2	2018-07-27
9059648	108	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059649	110	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059647	111	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059650	117	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059644	12	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	???? XI	2018-07-27
9059645	12	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	???? XI	2018-07-27
9059638	12	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.5 ± 0.2	2018-07-27
9059639	13	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.9 ± 0.2	2018-07-27
9059660	15	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059659	17	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.0 ± 0.2	2018-07-27
9059658	18	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059642	18	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059641	19	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059662	2	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.8 ± 0.2	2018-07-27
9059657	20	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059661	6	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.9 ± 0.2	2018-07-27
9059637	9	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	2.6 ± 0.3	2018-07-27
9059635	9999	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059636	9999	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059663	OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.2	2018-07-27
9059640	PD 22	2018-07-24 @ 10:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27

Radon test result report for:

WHITSITT ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059485	101	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.2 ± 0.4	2018-07-31
9059484	104	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.9 ± 0.4	2018-07-31
9059483	105	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.4 ± 0.4	2018-07-31
9059482	108	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-31
9059481	109	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.6 ± 0.4	2018-07-31
9059486	111	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.4	2018-07-31
9059487	112	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.4	2018-07-31
9059488	115	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.3 ± 0.5	2018-07-31
9059490	117	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.6 ± 0.5	2018-07-31
9059498	120	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.7 ± 0.4	2018-07-31
9059497	122	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.3 ± 0.5	2018-07-31
9059496	123	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.7 ± 0.5	2018-07-31
9059495	124	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.1 ± 0.4	2018-07-31
9059494	127	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.9 ± 0.4	2018-07-31
9059493	128	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.6 ± 0.4	2018-07-31
9059492	131	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.7 ± 0.5	2018-07-31
9059491	132	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	2.2 ± 0.4	2018-07-31
9059531	9999	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059500	GUIDANCE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.4	2018-07-31
9059489	LIBRARY	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-31
9059532	MAIN OFFICE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.5	2018-07-31
9059533	PRINCIPAL&APOS;S OFFICE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.5	2018-07-31

Radon test result report for:

GLENCLIFF HIGH SCHOOL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059335	100	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.8 ± 0.3	2018-07-31
9059307	101	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	3.5 ± 0.5	2018-07-31
9059336	102	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.9 ± 0.4	2018-07-31
9059306	103	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	2.5 ± 0.4	2018-07-31
9059304	107	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.1 ± 0.4	2018-07-31
9059303	109	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.9 ± 0.4	2018-07-31
9059339	111	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	1.7 ± 0.4	2018-07-31
9059302	111	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.9 ± 0.4	2018-07-31
9059301	112	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.9 ± 0.4	2018-07-31
9059343	113	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	1.4 ± 0.3	2018-07-31
9059344	114	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059330	115	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	4.4 ± 0.5	2018-07-31
9059328	118	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.7 ± 0.4	2018-07-31
9059329	118A	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	2.1 ± 0.4	2018-07-31
9059327	120	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.7 ± 0.4	2018-07-31
9059347	121	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-07-31
9059348	122	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059326	122	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.3 ± 0.4	2018-07-31
9059325	124	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.7 ± 0.4	2018-07-31
9059324	126	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	2.4 ± 0.4	2018-07-31
9059323	136	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.3 ± 0.4	2018-07-31
9059322	138	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.2 ± 0.4	2018-07-31
9059312	140	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.8 ± 0.4	2018-07-31
9059311	140	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.8 ± 0.4	2018-07-31
9059308	141	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.6 ± 0.4	2018-07-31
9059309	143	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-31
9059313	144	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.9 ± 0.4	2018-07-31
9059310	147	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.6 ± 0.4	2018-07-31
9059314	149	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.8 ± 0.3	2018-07-31
9059315	155	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.0 ± 0.4	2018-07-31
9059318	161	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.0 ± 0.3	2018-07-31
9059317	163	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-31
9059316	165	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.9 ± 0.4	2018-07-31
9059321	9999	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-27
9059305	COMPUTER LAB	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	2.6 ± 0.4	2018-07-31
9059340	LIBRARY	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	1.6 ± 0.4	2018-07-31
9059331	MAIN OFFICE	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	1.5 ± 0.4	2018-07-31

Radon test result report for:
GLENCLIFF HIGH SCHOOL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059351	MAIN OFFICE	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	3.9 ± 0.5	2018-07-31
9059352	PRINCIPAL&APOS;S OFFICE	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	2.4 ± 0.4	2018-07-31
9059332	PRINCIPAL&APOS;S OFFICE	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	2.2 ± 0.4	2018-07-31
9059319	WORK SHOP	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-31
9059320	WORK SHOP	2018-07-25 @ 10:00 am	2018-07-27 @ 10:00 am	0.5 ± 0.3	2018-07-31

Radon test result report for:
TRANSPORTATION

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127501	MAIN OFFICE	2018-12-07 @ 12:00 pm	2018-12-10 @ 8:00 am	7.2 ± 0.5	2018-12-12
9127503	OFFICE-17	2018-12-07 @ 12:00 pm	2018-12-10 @ 8:00 am	1.5 ± 0.3	2018-12-12
9127504	OFFICE-8	2018-12-07 @ 12:00 pm	2018-12-10 @ 8:00 am	5.6 ± 0.5	2018-12-12
9127505	OFFICE-8	2018-12-07 @ 12:00 pm	2018-12-10 @ 8:00 am	3.9 ± 0.4	2018-12-12
9127502	SINGLE OFFICE ON LEFT	2018-12-07 @ 12:00 pm	2018-12-10 @ 8:00 am	1.3 ± 0.4	2018-12-12

Radon test result report for:

GLENGARRY ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059678	101	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.7 ± 0.2	2018-07-27
9059664	103	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.6 ± 0.2	2018-07-27
9059665	105	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.2	2018-07-27
9059666	108	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059667	108	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.7 ± 0.2	2018-07-27
9059668	109	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.8 ± 0.2	2018-07-27
9059679	112	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.6 ± 0.2	2018-07-27
9059680	113	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.1 ± 0.2	2018-07-27
9059681	116	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059682	120	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.9 ± 0.2	2018-07-27
9059683	128	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.8 ± 0.2	2018-07-27
9059684	129	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.0 ± 0.2	2018-07-27
9059685	132	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	3.5 ± 0.3	2018-07-27
9059671	151	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.6 ± 0.2	2018-07-27
9059672	152	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059673	156	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	0.5 ± 0.2	2018-07-27
9059674	157	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059677	159	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059676	159	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059675	160	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059669	9999	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059670	9999	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	< 0.3	2018-07-27
9059687	MAIN OFFICE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.5 ± 0.2	2018-07-27
9059688	MAIN OFFICE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.3 ± 0.2	2018-07-27
9059686	PRINCIPAL&APOS;S OFFICE	2018-07-24 @ 11:00 am	2018-07-26 @ 11:00 am	1.3 ± 0.2	2018-07-27

Radon test result report for:
COLE ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059601	100	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059602	101	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.1 ± 0.2	2018-07-27
9059604	105	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059603	106	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.2 ± 0.2	2018-07-27
9059606	107	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059605	110	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.7 ± 0.2	2018-07-27
9059607	112	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059608	201	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.1 ± 0.2	2018-07-27
9059609	202	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059610	203	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059611	203	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059612	205	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.9 ± 0.2	2018-07-27
9059614	300	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059615	303	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059616	304	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.8 ± 0.2	2018-07-27
9059617	307	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059619	308	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.9 ± 0.2	2018-07-27
9059620	311	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059621	312	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.9 ± 0.2	2018-07-27
9059622	312	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	2.0 ± 0.2	2018-07-27
9059623	401	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.3	2018-07-27
9059624	500	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	2.1 ± 0.3	2018-07-27
9059625	502	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.0 ± 0.2	2018-07-27
9059626	505	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.9 ± 0.2	2018-07-27
9059627	506	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059628	509	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059629	510	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059630	513	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059631	514	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.6 ± 0.2	2018-07-27
9059618	9999	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059613	9999	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	< 0.3	2018-07-27
9059632	MAIN OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.8 ± 0.2	2018-07-27
9059633	MAIN OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	1.1 ± 0.2	2018-07-27
9059634	PRINCIPAL&APOS;S OFFICE	2018-07-24 @ 10:00 am	2018-07-26 @ 10:00 am	0.9 ± 0.2	2018-07-27

Radon test result report for:
EAKIN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059539	102	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.1 ± 0.2	2018-07-27
9059540	103	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	2.2 ± 0.3	2018-07-27
9059541	106	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.8 ± 0.2	2018-07-27
9059542	107	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	4.6 ± 0.3	2018-07-27
9059543	110	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.7 ± 0.2	2018-07-27
9059537	114	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.1 ± 0.2	2018-07-27
9059536	114	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.4 ± 0.2	2018-07-27
9059534	117	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.3 ± 0.2	2018-07-27
9059535	119	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	0.9 ± 0.2	2018-07-27
9059538	CARE PROGRAM ROOM	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.0 ± 0.2	2018-07-27
9059544	MAIN OFFICE	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	0.7 ± 0.2	2018-07-27
9059545	PRINCIPAL&APOS;S OFFICE	2018-07-24 @ 12:00 pm	2018-07-26 @ 1:00 pm	1.2 ± 0.2	2018-07-27

January 10, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
EAKIN ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9054885	107	2019-01-02 @ 8:00 am	2019-01-04 @ 9:00 am	10.8 ± 1.0	2019-01-08

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**GLENDALE ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059337	101	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059334	106	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-07-31
9059342	108	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059338	112	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	1.1 ± 0.3	2018-07-31
9059345	117	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	0.8 ± 0.3	2018-07-31
9059346	118	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-07-31
9059350	124	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-07-31
9059349	127	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-07-31
9059341	LIBRARY	2018-07-25 @ 11:00 am	2018-07-27 @ 11:00 am	1.8 ± 0.4	2018-07-31

Radon test result report for:**SYLVAN PARK ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059551	102	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	2.7 ± 0.4	2018-07-31
9059552	103	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	2.7 ± 0.4	2018-07-31
9059553	106	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	2.3 ± 0.4	2018-07-31
9059548	202	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-31
9059549	204	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	0.8 ± 0.3	2018-07-31
9059550	207	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	< 0.3	2018-07-31
9059554	ART	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	1.5 ± 0.4	2018-07-31
9059555	MUSIC	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	1.8 ± 0.4	2018-07-31
9059556	OFFICE	2018-07-25 @ 9:00 am	2018-07-27 @ 10:00 am	2.8 ± 0.5	2018-07-31

Radon test result report for:**PERCY PRIEST ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059565	1	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.0 ± 0.3	2018-07-31
9059569	11	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.3 ± 0.3	2018-07-31
9059566	13	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.9 ± 0.4	2018-07-31
9059567	13	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.9 ± 0.4	2018-07-31
9059557	15	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.4 ± 0.3	2018-07-31
9059558	15	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.6 ± 0.3	2018-07-31
9059560	17	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.9 ± 0.3	2018-07-31
9059562	19	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059573	2	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.8 ± 0.3	2018-07-31
9059563	20	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.2 ± 0.4	2018-07-31
9059564	22	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059561	25	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.1 ± 0.3	2018-07-31
9059559	26	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	2.1 ± 0.4	2018-07-31
9059572	4	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.7 ± 0.3	2018-07-31
9059571	7	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.9 ± 0.3	2018-07-31
9059570	9	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	0.8 ± 0.4	2018-07-31
9059568	9999	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	< 0.3	2018-08-03
9059574	OFFICE	2018-07-25 @ 10:00 am	2018-07-27 @ 11:00 am	1.2 ± 0.4	2018-07-31

Radon test result report for:
CROFT MIDDLE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059576	125	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	2.3 ± 0.4	2018-07-31
9059575	135- ART	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	2.9 ± 0.5	2018-07-31
9059578	225	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	1.7 ± 0.4	2018-07-31
9059577	228	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	1.6 ± 0.3	2018-07-31
9059580	229	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	1.8 ± 0.4	2018-07-31
9059579	232	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	1.5 ± 0.4	2018-07-31
9059581	238	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	3.9 ± 0.5	2018-07-31
9059582	OFFICE	2018-07-25 @ 11:00 am	2018-07-27 @ 12:00 pm	1.3 ± 0.3	2018-07-31

Radon test result report for:
OVERTON HIGH

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059734	121	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	4.4 ± 0.3	2018-08-03
9059733	122	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.1 ± 0.2	2018-08-03
9059729	124	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.0 ± 0.2	2018-08-03
9059722	130	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059720	131	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.8 ± 0.2	2018-08-03
9059721	131	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.8 ± 0.2	2018-08-03
9059718	134	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059717	144	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.7 ± 0.2	2018-08-03
9059736	146	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.6 ± 0.2	2018-08-03
9059728	150	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.7 ± 0.2	2018-08-03
9059723	153	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.0 ± 0.2	2018-08-03
9059724	156	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.5 ± 0.2	2018-08-03
9059725	157	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	2.7 ± 0.3	2018-08-03
9059726	160	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059727	161	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059701	162	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.1 ± 0.2	2018-08-03
9059702	164	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.4 ± 0.2	2018-08-03
9059703	166	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	2.5 ± 0.3	2018-08-03
9059704	169	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.2 ± 0.2	2018-08-03
9059705	173	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.9 ± 0.2	2018-08-03
9059706	174	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.8 ± 0.2	2018-08-03
9059707	176	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	2.2 ± 0.2	2018-08-03
9059708	179	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059709	182	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.7 ± 0.2	2018-08-03
9059710	182	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.9 ± 0.2	2018-08-03
9059711	186	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.5 ± 0.2	2018-08-03
9059712	190	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	1.3 ± 0.2	2018-08-03
9059713	191	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059714	195	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.7 ± 0.2	2018-08-03
9059716	199	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059719	9999	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	< 0.3	2018-08-03
9059735	MAIN OFFICE	2018-07-31 @ 9:00 am	2018-08-02 @ 12:00 pm	0.9 ± 0.2	2018-08-03

January 10, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
OVERTON HIGH

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9054884	12	2019-01-02 @ 8:00 am	2019-01-04 @ 12:00 pm	2.6 ± 0.5	2019-01-08

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
COHN ADULT

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059201	100	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	1.8 ± 0.3	2018-08-03
9059203	102	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	4.0 ± 0.3	2018-08-03
9059202	105A	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	0.6 ± 0.2	2018-08-03
9059204	107	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	1.0 ± 0.2	2018-08-03
9059205	108	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	???? XI	2018-08-03
9059206	113	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	1.5 ± 0.3	2018-08-03
9059207	119	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	1.3 ± 0.3	2018-08-03
9059208	121	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	0.7 ± 0.2	2018-08-03
9059209	SENIOR AREA	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	0.7 ± 0.2	2018-08-03
9059210	SENIOR AREA	2018-07-31 @ 9:00 am	2018-08-02 @ 10:00 am	< 0.3	2018-08-03

January 10, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:
COHN

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127730	102	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	8.2 ± 0.5	2019-01-03
9127729	108	2018-12-27 @ 10:00 am	2018-12-31 @ 9:00 am	7.4 ± 0.5	2019-01-03

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
CRIEVE HALL EMENETARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9026959	112	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.3 ± 0.4	2018-07-17
9026961	119	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	0.6 ± 0.4	2018-07-17
9026960	119	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.1 ± 0.4	2018-07-17
9026963	120	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	1.0 ± 0.4	2018-07-17
9026964	123	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	2.0 ± 0.5	2018-07-17
9026962	9999	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026965	B004	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	< 0.3	2018-07-17
9026968	B07	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	0.8 ± 0.4	2018-07-17
9026966	B19	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	8.9 ± 0.8	2018-07-17
9026967	B26	2018-07-11 @ 11:00 am	2018-07-13 @ 11:00 am	5.8 ± 0.6	2018-07-17

January 10, 2019

**** LABORATORY ANALYSIS REPORT ****

Radon test result report for:

CRIEVE HALL ELEMENTRAY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127562	B19	2019-01-02 @ 8:00 am	2019-01-04 @ 11:00 am	18.9 ± 1.1	2019-01-08
9127563	B26	2019-01-02 @ 8:00 am	2019-01-04 @ 9:00 am	3.0 ± 0.5	2019-01-08

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:**COCKRILL ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9054822	102	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054823	104	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.7 ± 0.3	2018-07-17
9054824	105	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.6 ± 0.3	2018-07-17
9054825	107	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054826	110	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.6 ± 0.4	2018-07-17
9054827	111	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.7 ± 0.3	2018-07-17
9054829	114	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.0 ± 0.3	2018-07-17
9054828	114	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.7 ± 0.4	2018-07-17
9054834	116	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.8 ± 0.3	2018-07-17
9054833	120	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054830	123	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.0 ± 0.4	2018-07-17
9054831	126	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.5 ± 0.3	2018-07-17
9054835	128	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.7 ± 0.4	2018-07-17
9054836	131	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054837	132	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054839	134	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054840	134	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054838	135	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054842	139	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054843	141	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054844	142	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054841	9999	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054832	LIBRARY	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	< 0.3	2018-07-17
9054846	LOUNGE	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	0.6 ± 0.4	2018-07-17
9054845	OFFICE	2018-07-11 @ 12:00 pm	2018-07-13 @ 12:00 pm	1.0 ± 0.4	2018-07-17

Radon test result report for:**CHARLOTTE PARK ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059227	10	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.5 ± 0.2	2018-08-03
9059238	102/SPEECH	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	< 0.3	2018-08-03
9059228	11	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059229	15	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059226	18	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059224	2	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059233	22	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	< 0.3	2018-08-03
9059231	24	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	1.2 ± 0.2	2018-08-03
9059230	24	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	1.2 ± 0.2	2018-08-03
9059232	26	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.7 ± 0.2	2018-08-03
9059234	28	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059235	29	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	< 0.3	2018-08-03
9059222	4	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	1.1 ± 0.2	2018-08-03
9059221	6	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059220	6	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.7 ± 0.2	2018-08-03
9059225	8	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.7 ± 0.2	2018-08-03
9059236	A1	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	1.0 ± 0.2	2018-08-03
9059237	A6	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.6 ± 0.2	2018-08-03
9059223	LIBRARY	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.9 ± 0.2	2018-08-03
9059239	MAIN OFFICE	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	0.9 ± 0.2	2018-08-03

Radon test result report for:**BIG PICTURE/ MARTHA VAUGH**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9059215	103	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	4.5 ± 0.3	2018-08-03
9059214	105	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	4.5 ± 0.4	2018-08-03
9059212	107	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	5.2 ± 0.4	2018-08-03
9059216	112	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	4.4 ± 0.3	2018-08-03
9059213	115	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	5.2 ± 0.4	2018-08-03
9059218	143	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	1.9 ± 0.3	2018-08-03
9059217	LIBRARY	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	5.1 ± 0.4	2018-08-03
9059219	MAIN OFFICE	2018-07-31 @ 10:00 am	2018-08-02 @ 11:00 am	4.0 ± 0.4	2018-08-03

Radon test result report for:
BIG PICTURE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088382	101	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	9.8 ± 0.7	2018-10-25
9088381	103	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	28.2 ± 1.2	2018-10-25
9088380	106	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	9.9 ± 0.7	2018-10-25
9088378	107	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	9.8 ± 0.7	2018-10-25
9088383	112	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	12.3 ± 0.7	2018-10-25
9088379	115	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	18.6 ± 0.9	2018-10-25
9088385	143	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	1.1 ± 0.4	2018-10-25
9088384	LIBRARY	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	8.4 ± 0.6	2018-10-25
9088387	MAIN OFFICE	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	7.7 ± 0.6	2018-10-25
9088386	MAIN OFFICE	2018-10-18 @ 9:00 am	2018-10-21 @ 10:00 am	9.1 ± 0.6	2018-10-25

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9088201	2018-10-17	9:00 am	2018-10-19	10:00 am	72	WESTMEADE ELEMENTARY		LIBRARY		3	3.7
9088202	2018-10-17	9:00 am	2018-10-19	10:00 am	64	WESTMEADE ELEMENTARY		101		3	10.0
9088203	2018-10-17	9:00 am	2018-10-19	10:00 am	70	WESTMEADE ELEMENTARY		106		3	11.7
9088204	2018-10-17	9:00 am	2018-10-19	10:00 am	65	WESTMEADE ELEMENTARY		105		3	2.7
9088205	2018-10-17	9:00 am	2018-10-19	10:00 am	64	WESTMEADE ELEMENTARY		110		3	7.2
9088206	2018-10-17	9:00 am	2018-10-19	10:00 am	68	WESTMEADE ELEMENTARY		SPEECH ROOM		3	12.2
9088207	2018-10-17	9:00 am	2018-10-19	10:00 am	64	WESTMEADE ELEMENTARY		111		3	5.6
9088208	2018-10-17	9:00 am	2018-10-19	10:00 am	65	WESTMEADE ELEMENTARY		114		3	7.3
9088209	2018-10-17	9:00 am	2018-10-19	10:00 am	61	WESTMEADE ELEMENTARY		116		3	8.0
9088210	2018-10-17	9:00 am	2018-10-19	10:00 am	61	WESTMEADE ELEMENTARY		116		3	7.2
9088211	2018-10-17	9:00 am	2018-10-19	10:00 am	62	WESTMEADE ELEMENTARY		115		3	5.7
9088212	2018-10-17	9:00 am	2018-10-19	10:00 am	61	WESTMEADE ELEMENTARY		30		3	4.3
9088213	2018-10-17	9:00 am	2018-10-19	10:00 am	67	WESTMEADE ELEMENTARY		17		3	3.3
9088214	2018-10-17	9:00 am	2018-10-19	10:00 am	68	WESTMEADE ELEMENTARY		20		3	3.1
9088215	2018-10-17	9:00 am	2018-10-19	10:00 am	68	WESTMEADE ELEMENTARY		22		3	4.5
9088216	2018-10-17	9:00 am	2018-10-19	10:00 am	67	WESTMEADE ELEMENTARY		23		3	5.1
9088217	2018-10-17	9:00 am	2018-10-19	10:00 am	69	WESTMEADE ELEMENTARY		26		3	3.9
9088218	2018-10-17	9:00 am	2018-10-19	10:00 am	68	WESTMEADE ELEMENTARY		27		3	7.9
9088219	2018-10-17	9:00 am	2018-10-19	10:00 am	68	WESTMEADE ELEMENTARY		9999		3	< 0.3
9088220	2018-10-17	9:00 am	2018-10-19	10:00 am	62	WESTMEADE ELEMENTARY		PRINCIPAL&APOS;S OFFICE		3	1.7
9088221	2018-10-17	9:00 am	2018-10-19	10:00 am	63	WESTMEADE ELEMENTARY		MAIN OFFICE		3	9.7
9088222	2018-10-17	9:00 am	2018-10-19	10:00 am	63	WESTMEADE ELEMENTARY		MAIN OFFICE		3	9.1
9088223	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		303		3	1.0
9088224	2018-10-17	10:00 am	2018-10-19	11:00 am	68	BELLEVUE MIDDLE		300		3	< 0.3
9088225	2018-10-17	10:00 am	2018-10-19	11:00 am	73	BELLEVUE MIDDLE		302		3	0.8
9088226	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		124		3	0.6
9088227	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		122		3	1.6
9088228	2018-10-17	10:00 am	2018-10-19	11:00 am	69	BELLEVUE MIDDLE		121		3	1.3
9088229	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		119		3	1.5
9088230	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		117		3	3.0
9088231	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		111		3	2.7
9088232	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		111		3	2.9
9088233	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		113		3	2.4
9088234	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		LIBRARY		3	1.1
9088235	2018-10-17	10:00 am	2018-10-19	11:00 am	68	BELLEVUE MIDDLE		109		3	2.5

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9088236	2018-10-17	10:00 am	2018-10-19	11:00 am	68	BELLEVUE MIDDLE		108		3	2.3
9088237	2018-10-17	10:00 am	2018-10-19	11:00 am	66	BELLEVUE MIDDLE		103		3	1.8
9088238	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		106		3	1.8
9088239	2018-10-17	10:00 am	2018-10-19	11:00 am	70	BELLEVUE MIDDLE		85		3	1.3
9088240	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		102		3	2.5
9088241	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		102		3	2.7
9088242	2018-10-17	10:00 am	2018-10-19	11:00 am	70	BELLEVUE MIDDLE		9999		3	< 0.3
9088243	2018-10-17	10:00 am	2018-10-19	11:00 am	70	BELLEVUE MIDDLE		88		3	0.8
9088244	2018-10-17	10:00 am	2018-10-19	11:00 am	71	BELLEVUE MIDDLE		90		3	1.1
9088245	2018-10-17	10:00 am	2018-10-19	11:00 am	72	BELLEVUE MIDDLE		BAND ROOM		3	2.2
9088246	2018-10-17	10:00 am	2018-10-19	11:00 am	65	BELLEVUE MIDDLE		MAIN OFFICE		3	1.1
9088247	2018-10-17	11:00 am	2018-10-19	11:00 am	69	HARPETH VALLEY ELEMENTARY		COMPUTER LAB		3	2.4
9088248	2018-10-17	11:00 am	2018-10-19	11:00 am	67	HARPETH VALLEY ELEMENTARY		263		3	2.6
9088249	2018-10-17	11:00 am	2018-10-19	11:00 am	69	HARPETH VALLEY ELEMENTARY		MRS. KNAPP		3	2.4
9088250	2018-10-17	11:00 am	2018-10-19	11:00 am	64	HARPETH VALLEY ELEMENTARY		247		3	2.2
9088251	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		238		3	1.0
9088252	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		238		3	1.1
9088253	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		235		3	1.6
9088254	2018-10-17	11:00 am	2018-10-19	11:00 am	69	HARPETH VALLEY ELEMENTARY		MS. GEMBRA		3	
9088255	2018-10-17	11:00 am	2018-10-19	11:00 am	66	HARPETH VALLEY ELEMENTARY		219		3	3.1
9088256	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		225		3	1.6
9088257	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		220		3	0.7
9088258	2018-10-17	11:00 am	2018-10-19	11:00 am	68	HARPETH VALLEY ELEMENTARY		210		3	3.9
9088259	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		199		3	2.1
9088260	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		204		3	1.8
9088261	2018-10-17	11:00 am	2018-10-19	11:00 am	64	HARPETH VALLEY ELEMENTARY		194		3	2.7
9088262	2018-10-17	11:00 am	2018-10-19	11:00 am	64	HARPETH VALLEY ELEMENTARY		194		3	3.0
9088263	2018-10-17	11:00 am	2018-10-19	11:00 am	68	HARPETH VALLEY ELEMENTARY		9999		3	< 0.3
9088264	2018-10-17	11:00 am	2018-10-19	11:00 am	67	HARPETH VALLEY ELEMENTARY		301		3	2.3
9088265	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		303		3	4.9
9088266	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		305		3	2.1
9088267	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		316		3	7.5
9088268	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		307		3	1.9
9088269	2018-10-17	11:00 am	2018-10-19	11:00 am	69	HARPETH VALLEY ELEMENTARY		310		3	7.2
9088270	2018-10-17	11:00 am	2018-10-19	11:00 am	65	HARPETH VALLEY ELEMENTARY		314		3	25.9

I2356 / ROAA YOUSIF

Kit Number	Start Date	Start Time	End Date	End Time	Temp.	Facility	Building	Room	Project ID	Floor	Result
9088271	2018-10-17	11:00 am	2018-10-19	11:00 am	63	HARPETH VALLEY ELEMENTARY		312		3	2.9
9088272	2018-10-17	11:00 am	2018-10-19	11:00 am	62	HARPETH VALLEY ELEMENTARY		174		3	3.8
9088273	2018-10-17	11:00 am	2018-10-19	11:00 am	62	HARPETH VALLEY ELEMENTARY		174		3	3.6
9088274	2018-10-17	11:00 am	2018-10-19	11:00 am	64	HARPETH VALLEY ELEMENTARY		173		3	4.0
9088275	2018-10-17	11:00 am	2018-10-19	11:00 am	66	HARPETH VALLEY ELEMENTARY		162		3	3.7
9088276	2018-10-17	11:00 am	2018-10-19	11:00 am	66	HARPETH VALLEY ELEMENTARY		150		3	1.1
9088277	2018-10-17	11:00 am	2018-10-19	11:00 am	66	HARPETH VALLEY ELEMENTARY		142		3	2.4
9088278	2018-10-17	11:00 am	2018-10-19	11:00 am	67	HARPETH VALLEY ELEMENTARY		157		3	2.7
9088279	2018-10-17	11:00 am	2018-10-19	11:00 am	68	HARPETH VALLEY ELEMENTARY		141		3	2.5
9088280	2018-10-17	11:00 am	2018-10-19	11:00 am	68	HARPETH VALLEY ELEMENTARY		MAIN OFFICE		3	3.2
9088281	2018-10-17	11:00 am	2018-10-19	11:00 am	67	HARPETH VALLEY ELEMENTARY		PRINCIPAL&APOS;S OFFICE		3	2.7

Radon test result report for:

NASHVILLE SCHOOL OF THE ARTS

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088517	1	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088505	10	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.5 ± 0.2	2018-10-16
9088504	11	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16
9088514	13	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088513	14	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	< 0.3	2018-10-16
9088512	15	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088515	2	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088527	22	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	2.2 ± 0.3	2018-10-16
9088525	24	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	1.1 ± 0.2	2018-10-16
9088529	25	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	3.0 ± 0.3	2018-10-16
9088530	26	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.3 ± 0.2	2018-10-16
9088531	27	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.4 ± 0.2	2018-10-16
9088518	3	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16
9088534	31	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.4 ± 0.2	2018-10-16
9088538	32	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.6 ± 0.2	2018-10-16
9088537	33	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.6 ± 0.2	2018-10-16
9088536	34	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.7 ± 0.2	2018-10-16
9088535	35	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.8 ± 0.2	2018-10-16
9088533	36	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.8 ± 0.2	2018-10-16
9088532	37	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	1.8 ± 0.2	2018-10-16
9088516	4	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.8 ± 0.2	2018-10-16
9088508	5	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16
9088523	5 POINTS	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088506	6	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16
9088510	7	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.5 ± 0.2	2018-10-16
9088509	7	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	< 0.3	2018-10-16
9088507	8	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.5 ± 0.2	2018-10-16
9088503	9	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16
9088542	9999	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	< 0.3	2018-10-16
9088519	9999	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	< 0.3	2018-10-16
9088520	ASSISTANT PRINCIPAL	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.6 ± 0.2	2018-10-16
9088521	ASSISTANT PRINCIPAL	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	< 0.3	2018-10-16
9088543	CATHERINE LATACHA	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.7 ± 0.2	2018-10-16
9088540	CONFERENCE	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	3.2 ± 0.3	2018-10-16
9088541	CONFERENCE	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.8 ± 0.3	2018-10-16
9088502	COUNSELING ROOM	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.8 ± 0.2	2018-10-16
9088524	DEBORAH BULLA	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	3.2 ± 0.3	2018-10-16

Radon test result report for:

NASHVILLE SCHOOL OF THE ARTS

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9088526	GLENN FUGETT	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.9 ± 0.2	2018-10-16
9088528	LIBRARY	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	3.3 ± 0.3	2018-10-16
9088511	LITERARY ARTS-16	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	1.0 ± 0.2	2018-10-16
9088539	MAIN OFFICE	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.5 ± 0.2	2018-10-16
9088501	MUSIC ROOM	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	1.3 ± 0.2	2018-10-16
9088544	PRINCIPAL&APOS;S OFFICE	2018-10-12 @ 9:00 am	2018-10-15 @ 9:00 am	2.6 ± 0.3	2018-10-16
9088522	STUDY ROOM	2018-10-12 @ 8:00 am	2018-10-15 @ 9:00 am	0.7 ± 0.2	2018-10-16

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:
MCCANN

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127742	9999	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	< 0.3	2019-01-03
9127737	AUBURN	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	1.4 ± 0.3	2019-01-03
9127739	FISK	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	0.9 ± 0.3	2019-01-03
9127734	LSU	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	5.2 ± 0.4	2019-01-03
9127736	MUSIC ROOM	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	1.5 ± 0.3	2019-01-03
9127738	NORTH WESTERN	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	0.6 ± 0.2	2019-01-03
9127743	OFFICE	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	1.0 ± 0.3	2019-01-03
9127740	TENNESSEE	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	2.8 ± 0.3	2019-01-03
9127741	TENNESSEE	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	2.4 ± 0.3	2019-01-03
9127733	TUSKEGEE	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	3.6 ± 0.4	2019-01-03
9127735	UK UNIVERSITY KY	2018-12-27 @ 11:00 am	2018-12-31 @ 10:00 am	1.4 ± 0.3	2019-01-03

Radon test result report for:

HILLWOOD HIGH SCHOOL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127533	102	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127532	109	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127531	111	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127534	120	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127535	124	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127536	21	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127537	23	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127528	42	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	0.6 ± 0.3	2018-12-12
9127527	44	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127508	54	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	1.6 ± 0.3	2018-12-12
9127510	55	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	1.4 ± 0.3	2018-12-12
9127523	81	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127521	85	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127522	86	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	10.0 ± 0.6	2018-12-12
9127519	90	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127520	90	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127516	91	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	2.2 ± 0.3	2018-12-12
9127517	94	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127513	95	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	3.2 ± 0.4	2018-12-12
9127515	96	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	0.5 ± 0.3	2018-12-12
9127514	99	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127518	9999	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	0.6 ± 0.3	2018-12-12
9127512	BAND OFFICE	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	2.3 ± 0.4	2018-12-12
9127529	COACH MORROW	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127530	COACH MORROW	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127509	CULINARY CLASS	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	0.8 ± 0.3	2018-12-12
9127525	G140	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127524	G141	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	< 0.3	2018-12-12
9127526	G145	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	0.7 ± 0.2	2018-12-12
9127507	GUIDANCE	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	1.5 ± 0.3	2018-12-12
9127506	MAIN OFFICE	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	2.0 ± 0.4	2018-12-12
9127511	OFFICE- H80	2018-12-07 @ 2:00 pm	2018-12-10 @ 7:00 am	1.5 ± 0.3	2018-12-12

Radon test result report for:

PARK AVE ELEMENTARY

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127789	1	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	1.8 ± 0.2	2019-01-08
9127788	102	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	4.4 ± 0.4	2019-01-08
9127787	103	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	6.0 ± 0.4	2019-01-08
9127786	104	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	2.3 ± 0.3	2019-01-08
9127785	106	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	< 0.3	2019-01-08
9127782	109	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	5.1 ± 0.4	2019-01-08
9127781	110	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.8 ± 0.3	2019-01-08
9127780	113	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.0 ± 0.3	2019-01-08
9127769	118	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	2.9 ± 0.3	2019-01-08
9127770	122	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	2.0 ± 0.3	2019-01-08
9127772	124	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.7 ± 0.3	2019-01-08
9127771	124	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	4.7 ± 0.3	2019-01-08
9127773	128	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.7 ± 0.3	2019-01-08
9127774	128	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.5 ± 0.3	2019-01-08
9127775	129	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	2.9 ± 0.3	2019-01-08
9127776	132	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.6 ± 0.3	2019-01-08
9127777	133	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	2.1 ± 0.3	2019-01-08
9127784	9999	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.3 ± 0.3	2019-01-08
9127793	A2	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.9 ± 0.3	2019-01-08
9127794	A3	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	7.3 ± 0.5	2019-01-08
9127795	A6	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	5.6 ± 0.4	2019-01-08
9127796	B1	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.8 ± 0.3	2019-01-08
9127797	B2	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.0 ± 0.3	2019-01-08
9127798	B5	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.3 ± 0.3	2019-01-08
9127799	B6	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	6.2 ± 0.4	2019-01-08
9127792	LIBRARY	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.2 ± 0.3	2019-01-08
9127778	MAIN OFFICE	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	4.8 ± 0.4	2019-01-08
9127791	MAIN OFFICE	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	1.8 ± 0.3	2019-01-08
9127800	MUSIC 2	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	1.7 ± 0.2	2019-01-08
9127783	PLAY ROOM A	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	3.2 ± 0.3	2019-01-08
9127790	PRINCIPAL&APOS;S OFFICE	2019-01-04 @ 11:00 am	2019-01-07 @ 9:00 am	1.7 ± 0.2	2019-01-08

Radon test result report for:
H G HILL

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9127747	100	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	2.9 ± 0.3	2019-01-08
9127746	103	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.6 ± 0.3	2019-01-08
9127745	104	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	3.1 ± 0.3	2019-01-08
9127744	107	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.4 ± 0.2	2019-01-08
9127761	203	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.0 ± 0.2	2019-01-08
9127763	204	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.0 ± 0.2	2019-01-08
9127764	204	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.1 ± 0.2	2019-01-08
9127765	205	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.2 ± 0.2	2019-01-08
9127766	208	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.1 ± 0.2	2019-01-08
9127750	300 C	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	4.1 ± 0.3	2019-01-08
9127751	302	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	2.2 ± 0.3	2019-01-08
9127752	303	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	4.0 ± 0.3	2019-01-08
9127753	303	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	3.8 ± 0.3	2019-01-08
9127754	304	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	4.8 ± 0.4	2019-01-08
9127755	307	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	5.5 ± 0.4	2019-01-08
9127756	308	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	5.4 ± 0.4	2019-01-08
9127758	402	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	5.8 ± 0.4	2019-01-08
9127757	403	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	5.0 ± 0.4	2019-01-08
9127759	406	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	4.7 ± 0.3	2019-01-08
9127760	407	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	6.6 ± 0.4	2019-01-08
9127762	9999	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	< 0.3	2019-01-08
9127748	GUIDANCE OFFICE	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	3.0 ± 0.3	2019-01-08
9127767	MAIN OFFICE	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	2.0 ± 0.3	2019-01-08
9127749	MUSIC ROOM	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.2 ± 0.2	2019-01-08
9127768	PRINCIPAL&APOS;S OFFICE	2019-01-04 @ 10:00 am	2019-01-07 @ 9:00 am	1.7 ± 0.2	2019-01-08